

45735-15

RO•PEL® FlyGo™

The unique approach to
fly reduction and control

With pheromone attractant, special fly bait
and deadly fly killer



House Fly
Pheromone

| | |
|--|-----------------|
| Active Ingredients: | |
| Methomyl (S-methyl N-[(methyl carbamoyl) oxy] thioacetimidate) | 1.000% |
| (Z)-9-Tricosene | 0.025% |
| Inert ingredients: | 98.975% |
| Total: | 100.000% |


KEEP OUT OF REACH OF CHILDREN & PETS
CAUTION

See back panel for additional precautions

NET WEIGHT.....5 LBS. (2.27 KGS.)

EPA REG. NO. 45735 - 15
EPA EST. NO. 45735 NY-001

Manufactured for:
Burlington Scientific Corporation
222 Sherwood Ave., Farmingdale NY 11735



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FlyGo™ is a new, improved, fly bait formula containing a fly pheromone which attracts flies to the bait area, thus encouraging feeding on the deadly treated bait. Distribute bait or fill bait stations directly from container or another appropriate device to avoid directly handling the bait.

As a scatterbait: Use FlyGo only around the outside of the following commercial establishments: feed lots, chicken houses, livestock barns, silos, canneries, beverage plants, meat and poultry processing plants, slaughter houses, and food processing plants. Bait may be used on walkways in caged layer houses. Bait should be scattered over specified fly feeding surfaces daily, or as needed, to provide initial knockdown and reduction of fly populations. Scatter bait (do not put in piles) at the rate of approximately 1/4 lb. per 500 sq. ft. of fly feeding area, keeping 1 to 2 inch intervals between particles. Keep food producing animals away from treated areas.

As a bait station: FlyGo may be used only in bait stations around the outside of kennels, fast food establishments, commissaries, bakeries, supermarkets, refuse dumpsters, garbage cans, and restaurants. Place bait station at least four (4) feet off the ground at or around fly feeding areas. One station per 500 sq. ft. of fly feeding area will usually provide adequate control.

Do not contaminate food and feedstuffs. Do not apply where poultry, livestock, domestic animals or pets can pick it up or lick it. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use can openers to open this product that are used on food containers. Use a separate dedicated can opener. * Do not use this product around or inside homes or any other place where children are likely to be present.

WARRANTY STATEMENT

The proper storage, use and disposal are beyond our control. Seller makes no warranty, express or implied concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material, especially when such use and handling are contrary to label instructions.

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Cholinesterase inhibitor. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Do not allow children or pets into treated areas.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Give one or two glasses of water & induce vomiting by touching finger to back of throat. If person is unconscious do not give anything by mouth and do not induce vomiting. **IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists. **IF INHALED:** Remove person to fresh air. **IF ON SKIN:** Wash affected areas with soap and water. **NOTE TO PHYSICIAN:** Methomyl is a cholinesterase inhibitor. Atropine is antidotal. Administer intravenously or intramuscularly if i.v. injection is not possible.

ENVIRONMENTAL HAZARD

This product is toxic to birds. Collect, cover or incorporate granules spilled on soil surface. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children & pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

UPC CODE